

1 2 3 4 5 6

A

B

C





D

A

B

C

D



MATERIALS

- METAL SHIELD: COPPER ALLOY
- EMI SPRING: COPPER ALLOY
- CLIP: STAINLESS STEEL
- HEAT SINK: ALUMINUM, BLACK
- LIGHT PIPE: PC
- BELLY PCB GASKETS: COATED POLYAMIDE

PART NUMBER:

F14KK - 0 C - 1 2 P

SERIES



TOLERANCES	
X.±0.40	.XX±0.20
.X±0.30	.XXX±0.10


REV.

A

DRAWN BY Kiki 2023/5/5

TITLE

SFP28 1x4 CAGE, R/A, METAL SHIELD, PRESS FIT TYPE WITH SPRING & LIGHT PIPE



APPROVED BY Lion 2023/5/5

DRAW NO.

F14KK-102

UNIT

MM

Sheet

1/4

1


2

3

4


5

6




BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6

SINGLE




BEZEL OPENING
BELOW TOP OF PCB




BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6

BELLY TO BELLY



BEZEL OPENING
BELOW TOP OF PCB



P.C.B. LAYOUT
TOP VIEW ±0.05

SINGLE

ZICONN
ELECTRONIC CO., LTD.
WWW.ZICONN.COM 886-3-4687695

TOLERANCES	
X.±0.40	.XX±0.20
.X±0.30	.XXX±0.10

REV.	A

DRAWN BY	Kiki 2023/5/5
APPROVED BY	Lion 2023/5/5

TITLE	
DRAW NO.	

SFP28 1x4 CAGE, R/A, METAL SHIELD, PRESS FIT TYPE WITH SPRING & LIGHT PIPE				
F14KK-102	UNIT	MM	Sheet	3/4

